Arthroscopic Bankart Repair + Remplissage Postoperative Rehabilitation Protocol Dr. Jeffrey Witty, M.D.

	Weightbearing	Sling	ROM	Exercise
Phase I Week 0 - 2	NWB	Immobilizer at all times when not doing exercises	Elbow/hand ROM PROM: Flexion 0 – 90 ER to neutral No passive stretching	No Pendulums Supine assisted ROM
Phase II Week 2 - 4	NWB	Immobilizer at all times when not doing exercises	Cont elbow/hand PROM: Flexion 0 – 110 ER to 10 No passive stretching	Continue Phase I Deltoid isometrics at the side. Scapular Protraction and retraction
Phase III Week 4 - 6	NWB	Immobilizer at all times when not doing exercises	PROM: Flexion 0 – 130 ER to 20 No passive stretching	Continue Phase II Can add lower extremity strengthening
Phase IV Start Week 6 - 8	Progress as comfort allows	Wean out of sling	Start AROM/AAROM Full flexion and internal rotation Full motion allowed after 6 weeks with ER restriction below. PROM/AROM/AAROM: External rotation to 90% of opposite side	Continue Phase III Progress AROM/AAROM Start isometrics Start theraband strengthening Upper body cycling
Phase V Week 8 - 12	WBAT	None	Progressive to full ROM	Continue phase IV Begin PRE, high rep low weight Add plyometrics
Phase VI 12 - 16	WBAT	None	Full ROM	Continue phase V Add pertuberbation
Phase VII	WBAT	None	Full ROM	Add sport

Arthroscopic Bankart Repair + Remplissage Postoperative Rehabilitation Protocol Dr. Jeffrey Witty, M.D.

16 - 26		specific training program
		RTP at 6 months

Other Notes:

- Throwing program for overhead athletes between 3 – 6 months.

Modalities:

- Ice for swelling, pain